TABLE OF CONTENTS

Board of Directors, AFS — 1974	v vi	Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand — A. E. Murton	126
Report of AFS Executive Vice-President	xi	Sand Quality in Modern Molding Lines — H. G. Levelink,	129
Annual Report of AFS Vice-President — Finance	xiii	H. van den Berg and E. Frank	129
Report of AFS Vice-President — Technology	xiv	Furnaces — W. J. Duca	135
Report of the Director of Membership Services	xvi	Manufacturing Systems Analysis Applied to Foundry	
Minutes of Meeting of AFS Board of Directors 1972/73 — First Meeting	xviii	Operations — T. S. Piwonka	137
Minutes of AFS Training and Research Institute — Trustees Meeting	XX.	Least Cost Raw Material Acquisition - Minicost — T. Giszcak	141
Minutes of Meeting of AFS Board of Directors — Second	xxii	Some Properties of Siliconized Cast Iron as a New Metal Mold Material — T. Shikata and K. Tajima	144
Minutes of AFS Technical Council	xxvi	An Evaluation of Toluenesulfonic Acid (TSA) and Phos-	
Minutes of Meeting of AFS Board of Directors — Third	AAVI	phoric Acid as Catalysts for Furan Nobake Foundry Binders — B. R. Nelson	153
Meeting	xxviii	Fracture Toughness Determination in Cast Metals — M. C.	
Minutes of AFS Training and Research Institute — Trustees Meeting	xxxiv	Murphy, R. G. Kumble, J. T. Berry and J. O. Outwater. Automated Salt Bath Cleaning of Castings for Produc-	158
Minutes of Final Meeting of AFS Board of Directors 1972/73	xxxvi	tivity and Pollution Control — R. H. Shoemaker	163
Minutes of Meeting of AFS Technical Council	xxxvii	Pattern Materials and Refractory Mold Materials in	935
Official Program - 30th Annual AFS Chapter Officers		Alloys 1020 and 4130 — S. Morykwas	166
Conference	xi	A Mathematical System for Exercising Preventive Control over Core Gas Defects — R. A. Worman and J. R.	
Hoyt Memorial Lecture—Management — Are You Ready? — C. A. Sanders	1	Nieman	170
A Method for Sampling Cupola Emissions — R. D. Warda and R. K. Buhr	24	Formation of Spiky Graphite in High Magnesium Ductile Iron Casting — P. K. Basutkar, C. S. Park, R. E.	
A Detailed Study of Cupola Emissions — R. D. Warda	24	Miller and C. R. Loper, Jr	180
and R. K. Buhr	32	Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A) — P. R. Sperry and	
Identifying Some Common Problems With Aluminum Castings — F. W. Micks and V. J. Zabek	33	A. L. Kearney Die Casting of Copper Alloys — R. D. Maier and J. F.	185
Silver Anniversary Paper—Deformation and Toughness		Wallace	194
in Green Molding Sand — W. C. Parker	43	The Divided Blast Cupola — H. J. Leyshon	202
Balling and Clustering in Green Molding Sand Mixtures — H. W. Dietert	49	Thermal Transpiration, Seacoal and the Foundry — D. C. Williams	208
The Influence of External Forces on the Solidification of Cast Irons — G. S. Cole and G. F. Bolling	59	Preparing Scrap for Induction Melting — J. P. Mc-Mahon	210
The Relationship of Bond Deactivation, Molding Media and Casting (V/SA) ² to Heat Abstraction Rates		Effects of Pearlite-Promoting Elements on the Kinetics	
From Castings for Various Metals — C. A. Sanders, R. L. Doelman and A. C. Den Breejen	69	of the Eutectoid Transformation in Ductile Cast Irons — M. J. Lalich and C. R. Loper, Jr.	217
Casting Semi-Solid Metals — M. C. Flemings and R.		The Application of Experimental Stress Analysis in Casting Design for Product Reliability — T. W. Corby,	
Mehrabian	81	Jr. and F. G. Tatnail	229
Deoxidation and Desulfurization of Liquid Steel With Calcium Complex Alloys — T. Ototani and Y. Kataura.	89	Plutonium Foundry Practices at the Lawrence Livermore Laboratory — R. L. Rose	233
Further Developments in Induction Furnace Linings — K. E. Granitzki, H. Viersen and H. Kohl	95	Describing the Eutectoid Transformation in Hypereutectic Ductile Cast Irons — M. J. Lalich and C. R. Loper, Jr	238
Ultrasonic Studies on Soundness of Aluminum Alloys — V. Ananthanarayanan, U. D. Mallya and V. Pan-		Some Studies of Nobake Self-Hardening Sands Using Sodium Silicate Binder in Japanese Foundries — P. L.	000
chanathan	101	Jain	245
Stream Treatment of Ductile Iron — R. S. Lee	105	Ceramic Binders and Aggregates for Precision Casting —	
Heat Content of Cast Iron — W. J. Duca	108	W. F. Walos	249
End Chills Influence on Solidification Soundness of Al-Cu-Si (LM 4) Alloy Castings — G. V. Kutumba Rao	or the same of the	Permanent Mold Casting of Irons — S. P. Simonin and J. Parisien	260
and V. Panchanathan	110	Some Factors Influencing Inculation and Inoculant Fade in Flake and Nodular Graphite Irons — A. Moore	268
A. P. Alexander	115	Graphitic Zinc Alloy with Improved Bearing Character-	
Effects of Cb Addition on the Properties and Structure of Gray Iron — E. Campomanes and R. Goller	122	istics — A. F. Campbell, F. J. Ansuini and R. D. Schelleng	278

Effect of Sand Surface Characteristics on Adhesion of Resinous Binders — R. H. Toeniskoetter	280	Some Observations on the Use of X-Ray Fluorescence Spectrometry and Atomic Absorption Spectroscopy on Chemical Analysis of Commercial Aluminum-Base and	
H. Fidler	289	Copper-Base Alloys — J. G. Dick	445
Preparation of Foundry Sand in Mulleriess Counter- Current Intensive Mixers with High Energy Rotor — H. B. Ries	296	Grain Refinement of Sand Cast Bronzes and its Influence on Their Properties — A. Couture and J. O. Edwards	
Magnesium-Cerium Combinations in Cast Iron — N. L. Church	301	Carbon, Silicon, Carbon Equivalent, Solidification and Thermal Analysis Relationships in Gray and Ductile	
An Alloy for Negligible-Emission Ductile Iron Treatment — P. D. Renschen and N. L. Church	309	Cast Irons — R. W. Heine	462
Hot Sands — Properties, Problems and Remedies Quantified — J. Scott	314	Zinc, Manganese, Nickel and Aluminum — R. F. Sch- midt and F. L. Riddell	
Environmental Standards — An Aftermath — B. E. Jacobs, Jr.	320	Studies on Feeding of Aluminum-10% Mg Alloy Plate Castings — S. Seshan, M. R. Seshadri and A. Rama-chandran	
Reappraisal of the Tensile Properties of Al-Si-Mg Casting Alloys — B. Chamberlain and V. J. Zabek	322	Nitride Formation in Solid Cast Irons - H. Wada and	482
Vapor Transport Zones in Production Molds — A. B. Draper and P. Shah	328	R. D. Pehlke Design of T-Junctions in Malleable Iron — J. Mertz	
Effect of Magnesium and Cerium Additions on the Fe-C-Si Diagram — P. K. Basutkar, R. W. Heine and C. R. Loper, Jr.	336	and R. W. Heine	493
Ferrous Materials: A World Survey — F. E. Brantley and H. J. Polta	341	R. A. Green Pollution, Toxicity and Corrosiveness of Toluenesulfonic Acid in Foundry Use — D. R. Hart, J. E. Hill	490
Cast Stainless Steel for Chloride Environments — R. M. Forbes Jones	349	and G. F. Wilkes	503
The Hollow Pattern Molding Process — A. H. Quraishi .	353	Design and Venting of Shell Coreboxes — F. M. Menzel and J. A. Stephenson	510
Maintenance and Operation of Emission Controls — D. C. Trevillian	356	Numerical Simulation of Casting Solidification — R. D. Pehlke, M. J. Kirt, R. E. Marrone and D. J. Cook	517
Some Experimental Observations of Ai-Si Hypereutectic Alloys — G. A. Colligan and A. Gunes	359	Determination of Material Thermal Properties Using Computer Techniques — M. J. Kirt and R. D. Pehlke	524
Burners for Heat Treating Furnaces — K. H. Hemsath	366	Molding Unbonded Sand with Vacuum — The V Process — Y. Kubo, K. Nakata and P. R. Gouwens	529
A Basic System Sand Control Procedure — A. Volkmar.	372	Steel Casting Surface Defects Associated with the Use	323
Energy for the Foundry Industry — J. E. Rehder	376	of Chromite Sand — J. E. Parr	545
New Radiographic Standards for Magnesium Alloy Castings — B. Lagowski	379	Some Simple Solutions to Noise Problems Common to Foundries — W. M. Ihde	548
The Use of Aluminum Castings in Aerospace Structures — H. L. Kearney and R. J. Favor	383	Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze — P. K. Trojan, S. Suga, C. Kelto	
Weldability of IN-768 — C. A. Zanis and W. C. Dickerson	388	and R. A. Flinn	552
Phosphide Eutectic in Gray Cast Irons Containing Molybdenum and/or Chromium — R. B. Gundlach and W. G. Scholz	395	Manganese Bronzes — M. J. Weins, J. J. Weins and W. Koch; II: Investigation of the Precipitation Reaction in Manganese Bronzes — M. J. Weins, J. J. Weins and C. W. Pretzel; III: Morphology of Iron-	
Substitution of Tellurium for Bismuth in Malleable Irons — T. D. Hutchinson, C. R. Ferra and M. Sansone	403	Rich Precipitates in Manganese Bronzes — M. J. Weins, J. J. Weins and D. R. Hutchinson	557
A New Coating Process for Foundry Tooling — R. A. Kry-	410	Moisture Requirements to Control Dust in Foundry Sands — J. S. Schumacher, G. D. Hanson, W. G. Skelly, R. Gullickson and R. A. Green	566
zanek and R. A. Henry Effect of Sulfur in Cast Iron — K. M. Muzumdar and J. F. Wallace	412	Quantitative Feeding Behavior of White Iron for Location of Geometrically Designed Risers — V. L. Rich-	571
Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys — M. Kubota and S. Kitaoka.	424	By-Product Characteristics of Foundry Additives — D. W. Boyd, K. Bristow, A. Volkmar, M. O'Brien, J. Schu-	
One-Step Treatment for Ductile Iron — E. Campomanes	428	The Present State of Development of the Cold Box Pro-	576
and R. Goller	420	cess in Wester Europe — R. Naegle	578
duction Foundry — D. C. Williams	433	Alloys — C. McGrath and R. B. Fischer	603
Determining the Economic Feasibility of Oxygen Enrichment of the Cypole Wind		Author Index	634
ment of the Cupola Wind — A. L. Love and D. R. Ruprecht	437	Subject Index	637

М

nsactions

AUTHORS INDEX

Alexander, A. P., Normalized vs. Quenched and Tempered Nodular Iron	101	Den Breejen, A. C., Sanders, C. A., Doelman, R. L., The Relationship of Bond Deactivation, Molding Media and Casting (V/SA) ² to Heat Abstraction Rates from Castings. Dick, J. G., Some Observations on the Use of X-ray Flu- orescence Spectrometry and Atomic Absorption Spec- troscopy on Chemical Analysis of Commercial Aluminum- Base and Copper-Base Alloys Dickerson, W. C., Zanis, C. A., Weldability of IN-768	6 44 38
To Youth King Vision year extending on him will more relies		Dietert, H. W., Balling and Clustering in Green Molding	
Basutkar, P. K., Heine, R. W., Loper, C. R. Jr., Effect of Magnesium and Cerium Additions on the Fe-C-Si Diagram Basutkar, P. K., Park, C. S., Miller, R. E., Loper, C.	336	Sand Mixtures Doelman, R. L., Sanders, C. A., Den Breejen, A. C., The Relationship of Bond Deactivation, Molding Media and Casting (V/SA) ² to Heat Abstraction Rates from Castings	4
R. Jr., Formation of Spiky Graphite in High Magne-		Draper, A. B., Shah, P., Vapor Transport Zones in Pro-	100
sium Ductile Iron Castings	180	duction Molds Duca, W. J., Factors Affecting the Production Rate of	328
ern Molding Lines	129	Coreless Furnaces Duca, W. J., Heat Content of Cast Iron	135
Berry, J. T., Outwater, J. O. Murphy, M. C., Kumble, R. G., Fracture Toughness Determination in Cast Metals	158	E	100
Bolling, G. F., Cole, G. S., The Influence of External	60	Edwards, J. O., Couture, A., Grain Refinement of Sand	
Boyd, D. W., Bristow, K., Volkmar, A., O'Brien, M.,	59	Cast Bronzes and Its Influence on Their Properties	45.
Schumacher, J. S., Wile, L., By-Product Character-			
istics of Foundry Additives	576	Favor, R. J., Kearney, H. L., The Use of Aluminum Castings in Aerospace Structures	383
Brantley, F. E., Polta, H. J., Ferrous Materials: A World Survey	341	Ferra, C. R., Sansone, M., Hutchinson, T. D., Substitu-	
Bristow, K., Volkmar, A., O'Brien, M., Schumacher, J. S., Wile, L., Boyd, D. W., By-Product Characteristics of	46	tion of Tellurium for Bismuth in Malleable Irons Fidler, F. H., Ceramic Fiber Linings for Heat Treating	403
Foundry Additives	576	Furnaces Fischer, R. B., McGrath, C., Surface Carburization of	289
Buhr, R. K., Warda, R. D., A Detailed Study of Cupola Emissions	32	Stainless Steel Casting Alloys Flemings, M. C., Mehrabian, R., Casting Semi-Solid	603
Buhr, R. K., Warda, R. D., A Method for Sampling Cupola Emissions	24	Metals	81
C		Aluminum Bronze	552
Campbell, A. F., Ansuini, F. J., Schelleng, R. D., Graphitic Zinc Alloy with Improved Bearing Character-		Forbes Jones, R. M., Cast Stainless Steel for Chloride Environments	349
istics	278	G	
Campomanes, E., Goller, R., One-Step Treatment for Ductile Iron	428	Giszczak, T., Least Cost Raw Material Acquisition — MINICOST	141
Campomanes, E., Goller, R., Effects of Cb Addition on the Properties and Structure of Gray Iron	122	Ductile Iron Goller, R., Campomanes, E., Effects of Cb Addition on	428
Chamberlain, B., Zabek, V. J., Reappraisal of the Ten- sile Properties of Al-Si-Mg Casting Alloys	322	the Properties and Structure of Gray Iron	122
Church, N. L., Magnesium-Cerium Combinations in Cast Iron	301	Sand with Vacuum — The V Process	529
Church, N. L., Renschen, P. D., An Alloy for Negligible- Emission Ductile Iron Treatment	309	ments in Induction Furnace Linings	95
Cole, G. S., Bolling, G. F., The Influence of External		What's the Story on Seacoal Replacements in Foundry Sands?	496
Forces on the Solidification of Cast Irons	59	Green, R. A., Hanson, G. D., Skelly, W. G., Gullickson, R., Moisture Requirements to Control Dust in Foundry	
tions of Al-Si Hypereutectic Alloys	359	Sands Gullickson, R., Green, R. A., Hanson, G. D., Skelly, W.	566
Numerical Simulation of Casting Solidification	517	G., Moisture Requirements to Control Dust in Foundry Sands	566
Experimental Stress Analysis in Casting Design for Product Reliability	229	Gundlach, R. B., Scholz, W. G., Phosphide Eutectic in Gray Cast Irons Containing Molybdenum and/or Chromium	395
Couture, A., Edwards, J. O., Grain Refinement of Sand	452	Gunes, A., Colligan, G. A., Some Experimental Observa-	
Cast Bronzes and Its Influence on Their Properties	453	tions of Al-Si Hypereutectic Alloys	359

388

ons

Harris Ha		Kutumba Rao, G. V., Panchanathan, V., End Chills In-	
Hanson, G. D., Skelly, W. G., Gullickson, R., Green, R. A., Moisture Requirements to Control Dust in Foundry		fluence on Solidification Soundness of Al-Cu-Si (LM 4) Alloy Castings	110
Sands	566	The state of the s	
Hart, D. R., Hill, J. E., Wilkes, G. F., Pollution, Toxi-		Lagowski, B., New Radiographic Standards for Magnesium	
city and Corrosiveness of Toluenesulfonic Acid in	503	Alloy Castings	37
Foundry Use	303	Lalich, M. J., Loper, C. R. Jr., Describing the Eutectoid	
ification and Thermal Analysis Relationships in Gray		Transformation in Hypereutectic Ductile Cast Irons	23
and Ductile Cast Irons	462	Lalich, M. J., Loper, C. R. Jr., Effects of Pearlite- Promoting Elements on the Kinetics of the Eutectoid	
Heine, R. W., Loper, C. R. Jr., Basutkar, P. K., Effect		Transformation in Ductile Cast Irons	21
of Magnesium and Cerium Additions on the Fe-C-Si	336	Lee, R. S., Stream Treatment of Ductile Iron	10:
Heine, R. W., Mertz, J., Design of T-Junctions in Malle-	1000	Levelink, H. G., Berg, H. van den, Sand Quality in Modern	120
able Iron	493	Molding Lines	20
Heine, R. W., Richards, V. L. II, Quantitative Feeding		Loper, C. R. Jr., Lalich, M. J., Effects of Pearlite-Pro-	
Behavior of White Iron for Location of Geometrically Designed Risers	571	moting Elements on the Kinetics of the Eutectoid Trans-	
Heine, R. W., Schumacher, J. S., Green, R. A., Wang, C.,	371	formation in Ductile Cast Irons	21
What's the Story on Seacoal Replacements in Foundry		Loper, C. R. Jr., Lalich, M. J., Describing the Eutectoid Transformation in Hypereutectic Ductile Cast Irons	231
Sands?	496	Loper, C. R. Jr., Basutkar, P. K., Heine, R. W., Effect of	230
Hemsath, K. H., Burners for Heat Treating Furnaces	366	Magnesium and Cerium Additions on the Fe-C-Si Diagram	330
Henry, R. A., Kryzanek, R. A., A New Coating Process for Foundry Tooling	410	Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Miller,	
Hill, J. E., Wilkes, G. F., Hart, D. R., Pollution, Toxi-		R. E., Formation of Spiky Graphite in High Magnesium	1 100
city and Corrosiveness of Toluenesulfonic Acid in		Love, A. L., Ruprecht, D. R., Determining the Economic	180
Foundry Use	503	Feasibility of Oxygen Enrichment of the Cupola Wind	43
Hutchinson, D. R., Weins, J. J., Weins, M. J., Morphology of Iron-Rich Precipitates in Manganese Bronzes	557	Chi and the second of the seco	
Hutchinson, T. D., Ferra, C. R., Sansone, M., Substitu-	-11	CONTRACTOR OF THE PROPERTY OF	
tion of Tellurium for Bismuth in Malleable Irons	403	Maier, R. D., Wallace, J. F., Die Casting of Copper	194
		Alloys	199
and the second of the second second of the second s		Ultrasonic Studies on Soundness of Aluminum Alloys	101
Ihde, W. M., Some Simple Solutions to Noise Problems	***	McGrath, C., Fischer, R. B., Surface Carburization of	
Common to Foundries	548	Stainless Steel Casting Alloys	603
The state of the s		McMahon, J. P., Preparing Scrap for Induction Melting	210
Jacobs, B. E., Jr., Environmental Standards, An After-		Marrone, R. E., Cook, D. J., Pehlke, R. D., Kirt, M. J.,	200
math	320		517
TO BE CONTRACTOR AND A STATE OF A		Numerical Simulation of Casting Solidification	211
Jain, P. L., Some Studies on Nobake Self-Hardening Sands	245	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals.	81
Using Sodium Silicate Binder In Japanese Foundries	245	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of	81
Using Sodium Silicate Binder In Japanese Foundries	245	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes	
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfuri-		Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of	81
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys	245	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob-	510 492
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Cast-	89	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings	510
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures		Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park,	510 492
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment	89	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings	510 492
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202	89	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc-	510 493 38
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A) Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., In-	89 383	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc- ulant Fade in Flake and Nodular Graphite Irons	510 493 38
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kcarney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202 (KO-IA) Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of	89 383 185	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc- ulant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contami-	510 493 38
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kcarney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze	89 383	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc- ulant Fade in Flake and Nodular Graphite Irons	510 493 38
Using Sodium Silicate Binder In Japanese Foundries K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kcarney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202 (KO-IA) Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of	89 383 185	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater,	87 510 493 38 180 266
K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material	89 383 185 552 517	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast	87 510 493 38 180 266
K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202 (KO-IA). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques	89 383 185 552	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals	87 510 493 38 180 266
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-IA) Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification	89 383 185 552 517 524	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of	87 510 493 38 180 266
K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202 (KO-IA). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques	89 383 185 552 517	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals	87 510 493 38 180 266
K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques Kitaoka, S., Kubota, M., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys Koch, W., Weins, M. J., Weins, J. J., Hard Spots in Manganese Bronzes	89 383 185 552 517 524	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons. Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand. Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast	510 493 38 180 266 158
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kcarney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques Kitaoka, S., Kubota, M., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys Koch, W., Weins, M. J., Weins, J. J., Hard Spots in Manganese Bronzes	89 383 185 552 517 524 424 557	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc- ulant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contami- nants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand	81 510 493 38 180 266 158
K Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kcarney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques Kitaoka, S., Kubota, M., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys Koch, W., Weins, M. J., Weins, J. J., Hard Spots in Manganese Bronzes Kohl, H., Granitzki, K. E., Viersen, H., Further Developments in Induction Furnace Linings	89 383 185 552 517 524 424	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons. Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand. Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast	510 493 38 180 266 158
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kcarney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques Kitaoka, S., Kubota, M., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys Koch, W., Weins, M. J., Weins, J. J., Hard Spots in Manganese Bronzes	89 383 185 552 517 524 424 557	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc- ulant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contami- nants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast Iron	80 516 492 31 186 266 150 120 412
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202 (KO-IA) Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques Kitaoka, S., Kubota, M., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys Koch, W., Weins, M. J., Weins, J. J., Hard Spots in Manganese Bronzes	89 383 185 552 517 524 424 557 95	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc- ulant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contami- nants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast Iron N Nacgle, R., The Present State of Development of the Cold Box Process in Western Europe	81 510 493 38 180 266 150 120 412
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202 (KO-IA) Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kitt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques Kitaoka, S., Kubota, M., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys	89 383 185 552 517 524 424 557 95	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons. Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast Iron N Naegle, R., The Present State of Development of the Cold Box Process in Western Europe Nakata, K., Gouwens, P. R., Kubo, Y., Molding Unbonded	81 510 493 38 266 160 158 120 412 578
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kcarney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A)	89 383 185 552 517 524 424 557 95	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons. Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast Iron N Naegle, R., The Present State of Development of the Cold Box Process in Western Europe Nakata, K., Gouwens, P. R., Kubo, Y., Molding Unbonded Sand with Vacuum — The V Process	81 510 493 38 180 266 158 120 412
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202 (KO-IA). Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques Kitaoka, S., Kubota, M., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys Koch, W., Weins, M. J., Weins, J. J., Hard Spots in Manganese Bronzes Kohl, H., Granitzki, K. E., Viersen, H., Further Developments in Induction Furnace Linings Kryzanek, R. A., Henry, R. A., A New Coating Process for Foundry Tooling Kubo, Y., Nakata, K., Gouwens, P. R., Molding Unbonded Sand with Vacuum — The V Process	89 383 185 552 517 524 424 557 95	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malleable Iron Micks, F. W., Zabek, V. J., Identifying Some Common Problems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoculant Fade in Flake and Nodular Graphite Irons. Morykwas, S., Relationship of Surface Defects to Contaminants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast Iron N Naegle, R., The Present State of Development of the Cold Box Process in Western Europe Nakata, K., Gouwens, P. R., Kubo, Y., Molding Unbonded	80 516 492 31 186 266 156 126 412 578
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kcarney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-1) and a Modification X202 (KO-1A)	89 383 185 552 517 524 424 557 95 410 529	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc- ulant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contami- nants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast Iron N Naegle, R., The Present State of Development of the Cold Box Process in Western Europe Nakata, K., Gouwens, P. R., Kubo, Y., Molding Unbonded Sand with Vacuum — The V Process Nelson, B. R., An Evaluation of Toluenesulfonic Acid (TSA) and Phosphoric Acid as Catalysts for Furan Nobake Foundry Binders	81 510 493 38 266 160 158 120 412 578
Kataura, Y., Ototani, T., Deoxidation and Desulfurization of Liquid Steel with Calcium Complex Alloys Kearney, A. L., Favor, R. J., The Use of Aluminum Castings in Aerospace Structures Kearney, A. L., Sperry, P. R., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202 (KO-IA) Kelto, C., Flinn, R. A., Trojan, P. K., Suga, S., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze Kirt, M. J., Pehlke, R. D., Marrone, R. E., Cook, D. J., Numerical Simulation of Casting Solidification Kirt, M. J., Pehlke, R. D., Determination of Material Thermal Properties Using Computer Techniques Kitaoka, S., Kubota, M., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys Koch, W., Weins, M. J., Weins, J. J., Hard Spots in Manganese Bronzes Kohl, H., Granitzki, K. E., Viersen, H., Further Developments in Induction Furnace Linings Kryzanek, R. A., Henry, R. A., A New Coating Process for Foundry Tooling Kubo, Y., Nakata, K., Gouwens, P. R., Molding Unbonded Sand with Vacuum — The V Process Kubota, M., Kitaoka, S., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys Kubota, M., Kitaoka, S., Solidification Behavior and Hot Tearing Tendency of Aluminum Casting Alloys	89 383 185 552 517 524 424 557 95 410 529	Mehrabian, R., Flemings, M. C., Casting Semi-Solid Metals. Menzel, F. M., Stephenson, J. A., Design and Venting of Shell Coreboxes Mertz, J., Heine, R. W., Design of T-Junctions in Malle- able Iron Micks, F. W., Zabek, V. J., Identifying Some Common Prob- lems with Aluminum Castings Miller, R. E., Loper, C. R. Jr., Basutkar, P. K., Park, C. S., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings Moore, A., Some Factors Influencing Inoculation and Inoc- ulant Fade in Flake and Nodular Graphite Irons Morykwas, S., Relationship of Surface Defects to Contami- nants in Pattern Materials and Refractory Mold Materials in Alloys 1020 and 4130 Murphy, M. C., Berry, J. T., Kumble, R. G., Outwater, J. O., Fracture Toughness Determination in Cast Metals Murton, A. E., Effect of Inhomogeneity of Coatings of Binder and Activator on Clay Requirements of System Sand Muzumdar, K. M., Wallace, J. F., Effect of Sulfur in Cast Iron N Naegle, R., The Present State of Development of the Cold Box Process in Western Europe Nakata, K., Gouwens, P. R., Kubo, Y., Molding Unbonded Sand with Vacuum — The V Process Nelson, B. R., An Evaluation of Toluenesulfonic Acid (TSA) and Phosphoric Acid as Catalysts for Furan Nobake	81 516 493 38 186 268 166 158 126 412 578 529

CONTRACTOR OF STATE OF THE PROPERTY OF THE PARTY OF THE P		Scholz, W. G., Gundlach, R. B., Phosphide Eutectic in	
O'Brien, M., Schumacher, J. S., Wile, L., Boyd, D. W., Bristow, K., Volkmar, A., By-Product Characteristics of		Gray Cast Irons Containing Molybdenum and/or Chromium Schumacher, J. S., Wile, I., Boyd, D. W., Bristow, K.,	39:
Foundry Additives Ototani, T., Kataura, Y., Deoxidation and Desulfurization	576	Volkmar, A., O'Brien, M., By-Product Characteristics of Foundry Additives	570
of Liquid Steel with Calcium Complex Alloys	89	Schumacher, J. S., Green, R. A., Wang, C., Heine, R. W., What's the Story on Seacoal Replacements in Foundry	
Outwater, J. O., Berry, J. T., Murphy, M. C., Fracture Toughness Determination in Cast Metals	158	Sands?	49
the state of the state Parties Designed to be		Quantified	314
Panchanathan, V., Ananthanarayanan, V., Mallya, U. D., Ultrasonic Studies on Soundness of Aluminum Alloys	101	Seshadri, M. R., Ramachandran, A., Seshan, S., Studies on Feeding of Aluminum - 10% Mg Alloy Plate Castings Seshan, S., Seshadri, M. R., Ramachandran, A., Studies on	475
Panchanathan, V., Kutumba Rao, G. V., End Chills In- fluence on Solidification Soundness of Al-Cu-Si (LM 4) Alloy Castings		Feeding of Aluminum - 10% Mg Alloy Plate Castings Shikata, T., Tajima, K., Some Properties of Siliconized	475
Parisien, J., Simonin, S. P., Permanent Mold Casting	260	Cast Iron as a New Metal Mold Material	144
of Irons Park, C. S., Miller, R. E., Loper, C. R. Jr., Basutkar, P.	200	for Productivity and Pollution Control	163
K., Formation of Spiky Graphite in High Magnesium Ductile Iron Castings	180	Simonin, S. P., Parisien, J., Permanent Mold Casting of Irons	260
Parker, W. G., Deformation and Toughness in Green Molding		Skelly, W. G., Gullickson, R., Green, R. A., Hanson, G. D., Moisture Requirements to Control Dust in Foundry Sands	566
Sand (Silver Anniversary Paper)	43 545	Sperry, P. R., Kearney, A. L., Effect of Heat Treatment Variables on Alloy 201 (KO-I) and a Modification X202	300
Pehlke, R. D., Kirt, M. J., Determination of Material	7	(KO-1A)	185
Thermal Properties Using Computer Techniques	524	Stephenson, J. A., Menzel, F. M., Design and Venting of Shell Coreboxes	510
Numerical Simulation of Casting Solidification	517	Suga, S., Kelto, C., Flinn, R. A., Trojan, P. K., Influence of Gas Porosity on Mechanical Properties of	
Irons	482	Aluminum Bronze	552
Piwonka, T. S., Manufacturing Systems Analysis Applied to Foundry Operations	137	Talling V Shihata T Same Proportion of Siliconized	
Polta, H. J., Brantley, F. E., Ferrous Materials: A World	341	Tajima, K., Shikata, T., Some Properties of Siliconized Cast Iron as a New Metal Mold Material	144
Survey Pretzel, C. W., Weins, M. J., Weins, J. J., Investigation of the Precipitation Reaction in Manganese Bronzes	341 557	Tatnall, F. G., Corby, T. W. Jr., The Application of Experimental Stress Analysis in Casting Design for Pro-	
Q	192	duct Reliability	229
Quraishi, A. H., The Hollow Pattern Molding Process	353	istics on Adhesion of Resinous Binders	280
Remarkandara A Sankara S Sankadai M B Studies		Controls P. V. Suga S. Kalta C. Flina P. A. Influ	356
Ramachandran, A., Seshan, S., Seshadri, M. R., Studies on Feeding of Aluminum - 10% Mg Alloy Plate Castings Rehder, J. E., Energy for the Foundry Industry	475 376	Trojan, P. K., Suga, S., Kelto, C., Flinn, R. A., Influence of Gas Porosity on Mechanical Properties of Aluminum Bronze	552
Renschen, P. D., Church, N. L., An Alloy for Negligible-	309	V	
Emission Ductile Iron Treatment	309	Viersen, H., Kohl, H., Granitzki, K. E., Further Develop-	
havior of White Iron for Location of Geometrically Designed Risers	571	Wolkmar, A., A Basic System Sand Control Procedure Volkmar, A., O'Brien, M., Schumacher, J. S., Wile, L.,	95 372
Riddell, F. L., Schmidt, R. F., Marine Corrosion of a White Copper Base Alloy with Zinc, Manganese, Nickel and	471	Boyd, D. W., Bristow, K., By-Product Characteristics of Foundry Additives	576
Ries, H. B., Preparation of Foundry Sand in Mullerless	471	Poulary Adultives	310
Counter-Current Intensive Mixers with High Energy Rotor	296		
Rose, R. L., Plutonium Foundry Practices at the Lawrence Livermore Laboratory	233	Wada, H., Pehlke, R. D., Nitride Formation in Solid Cast Irons	482
Ruprecht, D. R., Love, A. L., Determining the Economic Feasibility of Oxygen Enrichment of the Cupola Wind	437	Wales, W. F., Ceramic Binders and Aggregates for Precision Casting	249
		Wallace, J. F., Muzumdar, K. M., Effect of Sulfur in Cast	
5		Wallace, J. F., Maier, R. D., Die Casting of Copper	412
anders, C. A., Management — Are You Ready? (Hoyt	1	Alloys P. W. Schumacher, I. S. Green, P. A.	194
Memorial Lecture) anders, C. A., Doelman, R. L., Den Breejen, A. C., The Relationship of Bond Deactivation, Molding Media and		Wang, C., Heine, R. W., Schumacher, J. S., Green, R. A., What's the Story on Seacoal Replacements in Foundry Sands?	496
Casting (V/SA) ² to Heat Abstraction Rates from Castings .	69	Warda, R. D., Buhr, R. K., A Detailed Study of Cupola	
ansone, M., Hutchinson, T. D., Ferra, C. R., Substitution of Tellurium for Bismuth in Malleable Irons	403	Emissions Warda, R. D., Buhr, R. K., A Method for Sampling Cupola	32
chelleng, R. D., Campbell, A. F., Ansuini, F. J., Graph-		Emissions	24
itic Zinc Alloy with Improved Bearing Characteristics chmidt, R. F., Riddell, F. L., Marine Corrosion of a White Copper Base Alloy with Zinc, Manganese, Nickel and	278	Weins, J. J., Koch, W., Weins, M. J., Hard Spots in Manganese Bronzes	557
Aluminum	471	of the Precipitation Reaction in Manganese Bronzes	557

Weins, J. J., Hutchinson, D. R., Weins, M. J., Morphology of Iron-Rich Precipitates in Manganese Bronzes Weins, M. J., Weins, J. J., Koch W., Hard Spots in Manganese Bronzes Weins, M. J., Weins, J. J., Pretzel, C. W., Investigation of the Precipitation Reaction in Manganese Bronzes Weins, M. J., Weins, J. J., Hutchinson, D. R., Morphology of Iron-Rich Precipitates in Manganese Bronzes Wile, L., Boyd, D. W., Bristow, K., Volkmar, A., Schumacher, J. S., O'Brien, M., By-Product Characteristics of Foundry Additives Wilkes, G. F., Hart, D. R., Hill, J. E., Pollution, Toxicity and Corrosiveness of Toluenesulfonic Acid in Foundry Use Williams, D. C., An Evaluation of Day-to-Day Sand Test	557 557 557 557 576 503	Williams, D. C., Thermal Transpiration, Seacoal and the Foundry	. 208 or . 170 lee . 322 b 388 . 388
Data in a Production Foundry	433	Zelley, H. W., Automated Metal Pouring	. 449
SUBJ	ЕСТ	INDEX	
The page numbers refer to the first page of the entire article which contains the subject listed.		High-strength alloy 201 (KO-1) and X202, effect of heat treatment on structure and properties Hot tearing and solidification, Al-Cu and Al-Si-Mg	185
A		alloys Influence of chills on solidification soundness of Solidification	424 110
		Behavior of Al-Cu and Al-Si-Mg alloy	424
Activation of bentonite, effect on clay in system	126	Simulation of	517 101
sand	120	Aluminum bronzes	101
Adhesion, sand to binder (see Sand adhesion)		Corrosion testing Al-Mn-Ni-Zn alloy in seawater	471
Aerospace castings, design, mechanical properties	383	Gas porosity in, effect on chill, mechanical	***
Aging (see Heat treatment)		Aluminum casting and castings	552
Agitation during solidification Effect on cast iron microstructure	59	Aerospace structures, problems, remedies	383
Effect on flow properties of semi-solid metal	81	Cold shuts	38
Aggregates (see Investment casting)		Cold box process cores	578 38
Air Pollution (see also Emissions, Environmental		Defects Double torsion testing	158
Control) Dust collection on production cupola	356	End chill effect on solidification	110
Dust control with moisture in molding sand	566	Fracture toughness	158
Elimination by inoculating in the mold	105	Hard inclusions	38 38
Prevention in cold box process	578	Hardness and heat treatment	185
Reduction in radiant-tube gas-fired heat treatment furnaces	366	Hot tearing and semi-solidus temperature	424
Standards evaluated	320	Mechanical properties	38, 322
Study of toluenesulfonic acid in furan nobake		Plate castings, Al-10% Mg alloy	474 38
catalyst	503	Pressure tightness	81
Alloys, alloying (see also Ferroalloys) Al, B, Ca, Cr, Mg, Ti, Zr, effect on nitride for-		Solidification and semi-solidus temperature	424
mation and graphitization in solid cast iron	482	Ultrasonic studies	101
Bismuth, tellurium in malleable irons	403	Aluminum patterns, coated with wear-resistant Ni-P electroless plating	410
B, Ce, Sb, effect on structure of permanent mold- ed gray and ductile iron	260	Analysis, chemical-instrumental	410
Boron for grain refinement of bronze	453	Aluminum alloys by atomic absorption spectroscopy	
Columbium additions to gray iron	122	and x-ray fluorescence spectrometry	442
Low-emissions Ni-base inoculant for ductile iron	309	Bismuth and tellurium in malleable iron	403
Mo, Cr, in gray iron, effect on phosphide eutectic Pearlite-promoting, effect on eutectoid trans-	395	and x-ray fluorescence spectrometry	442
formation in ductile iron	217	Dust emissions from cupola by x-ray diffraction	100
Zirconium for grain-refinement of bronze	453	and x-ray fluorescence	32 566
Alumina aggregate for investment casting	249	Dust in molding sands, sampling	552
Aluminum (see individual categories) Aluminum alloys		Hard spots in manganese bronze	557
Al-10% Mg alloy plate castings, feeding, me-		Nitrogen solubility in solid cast irons	482
chanical properties, porosity	475	Oxygen, measurement in molten steel	89
Al-Si hypereutectic alloy, phosphorus addition, effect on wear resistance, microstructure,		Annealing (see Heat treatment, Furnaces)	
mechanical properties	359	Antimony, effect on microstructure of permanent molded	
Al-Si-Mg alloy, mechanical properties, heat treat-		gray and ductile iron	260
ment, sand casting and permanent molding,	222	Casting plutonium alloys	233
Analysis of, chemical-instrumental	322 442	Welding Ni-30% Cu alloys, strength	388
Casting in semi-solid state	81	Arsenic, effect on ductile iron microstructure	217, 238
Fracture toughness determination	158	Art castings, production by V-process	529
			637

Asphalt, component of seacoal substitute for molding		in Solid cast irons, effect on nitride formation	
sand	496	and graphitization	482
Austenite formation in		Steel deoxidation with	89
Ductile irons, effect of alloys	217	Calculation of feeding distance in Al-10% Mg alloy plate	
Gray and ductile irons, thermal analysis of solidifi-	460	castings (nomogram)	475
cation	462	Carbide formation in	
Austenitic cast iron, effect of external forces on	60	Ductile iron, effect of alloying on	217, 462
solidification	59	Gray and ductile irons	462
	163	Carbon (see also Graphite)	496
Cleaning castings in salt bath	529	Build-up on decomposition of seacoal substitutes	578
Plant, layout, computer control	137	Dioxide-silicate cores compared with cold box	462
Pouring of metal	Longit	Equivalent in gray and ductile irons	268
Defect reduction, metallurgical control, rate		Monoxide, role in preventing oxidation of iron	208
of pour control, temperature control	449	Pickup, prevention in stainless steel casting sur-	Chinis I
Shell coremaking operations		faces using inorganic bonded molds with oxide or	
Technical developments		hydroxide additives	603
Automotive castings, developments	1	Carburization, stainless steel casting study	603
		Cast iron (see also Ductile iron, Gray iron, Malleable	
		iron, White iron)	
		Chilling and sulfur effect	412
More was the same of Button of the Control		Cold box process cores for	578
		External forces (rotation, oscillation), effect on	
		microstructure, metallurgy, solidification	59
		Heat content studies	
Balanced blast (see Cupola, divided blast)		Inoculation fade, factors influencing	268
Ralling and clustering in green molding sand	49	Inoculation effect on structure	268, 301,
Barium, inoculant component for gray and ductile irons.	268		412, 462
Bentonite	200	Magnesium-cerium combination, effect on	226
Activators, effect on clay, sand bonding, proper-		Fe-C-Si diagram	336
ties, mulling, scabbing	126	Mechanical properties	301 571
Breakdown of bond with casting heat	69	Malleable, riser design	412
Component of seacoal substitute in molding sand	496	Mechanical properties and sulfur effect	412
in Hot sand, effect on bonding	314	Nitride formation, effect of Al, B, Ca, Cr, Mg and Ti	482
Improved activation in high-speed intensive mixer	296	Nucleation and	402
Measurement in sand, effectiveness of mulling	372	Cooling rate effect	336
Binders (see type: Sand binders, Bentonite, Ceramic,		Sulfur effect	412
Furan nobake. Shell, Refractory, Resin, etc.)		Patterns, hard nickel alloy coating	410
Bismuth (see Tellurium)		Permanent molding for good machinability as-cast	260
Blast, cupola		Permanent molding with siliconized iron molds	144
Blast, cupola Divided tuyeres, improved operation	202	Phosphide eutectic in gray, effect of Mo, Cr	395
Limbotono entretti i i i i i i i i i i i i i i i i i i	24	Riser design for white iron	571
Boron	1000	Silicon treatment for permanent molds	144
Grain-refining agent in bronze	453	Solidification	
in Permanent molded cast iron, effect on micro-	17	External forces effect	412
structure	260	Gray and ductile, phase diagram	462
in Solid cast irons, effect on nitride formation	402	Sulfur effect	412
and graphitization	482	Thermal analysis, carbon equivalent, effect of	
Brasses and bronzes		undercooling	462
Aluminum bronze, effect of gas porosity on me- chanical properties	552	Catalysts	
Aluminum-manganese bronze	471	Cold box process	578
Analysis of copper alloys in	442	Resin binders for sand	153
Cold box process cores for	578	Toluenesulfonic acid for furan nobake resin bonded	
Corrosion testing Zn-Mn-Ni-Al alloy in seawater	471	sands, toxicity, corrosiveness	503
Die casting of copper alloys	194	Ceramic .	
85-5-5-5 casting in semi-solid state	81	Binders and aggregates for investment casting, col-	
Grain refinement of sand cast tin bronze, effect		loidal silica, ethyl silicate, zircon, quartz,	240
on properties	453	alumina, fireclay, fused silica	249
Manganese bronze		Molding (see Investment casting)	
Hard spots in	557	Refractory fiber linings for heat treatment fur-	289
Corrosion in seawater	471	naces	314
on at all of the state of the s		Cerium (see also Rare earths)	214
Effect of bond activators on	69	Effect on Fe-Si-C diagram	336
Simulation	517	Effect on mechanical properties, tramp elements	301
Weldability of 70/30 Ni-Cu alloy	388	Effect on structure of permanent molds, cast iron	260
Burners, heat treating furnace, direct fired, fuel		in Heavy section ductile iron	336
efficiency, gaseous emissions, heat emissions, noise,		Inoculant for gray and ductile iron	268
operation, radiant tubes, safety, temperature control	366	Channel induction furnaces (see Induction furnaces)	No more
Burn-on, sand (see Defects)	N. J.	Charge materials (see also Marketing)	
Burn-out, cupola profile with double tuyeres	202	Effect of oxygen enrichment on	437
		Heat needed to melt	108
		Preheating	
		for Coreless induction melting	135
C		for Induction melting	210
		Purchasing, least-cost computer assisted	141
the state of the s		Charging practice	
AND THE PROPERTY OF THE PROPER	W	Effect on cupola emissions	24, 32
Calcium Calciu	1	Modifications resulting from oxygen enrichment of	14.0
Cast iron inoculation with	412	cupola blast	437

Chemical composition (see Analysis, Composition)		Condensation zone (vapor transport) in green sand molds Control	32
Chill and mottle Gray iron and effect of columbium	122	Costs of for pollution control	32
Cast iron and sulfur effects	412	Foundry operations and cost	1, 13
Effect of cast iron inoculants on	268	Molding sand	.,
Malleable iron, suppression with Te and Bi	403	Basic procedure for system sand	37
Thermal analysis, detection of mottle in cast irons	462	Deformation and toughness	4
and the state of t	16	Properties on day-to-day basis	. 43
Chills	***	Copper (see also Brass and bronze, Nickel)	
in Chromite sand steelcasting	545	in Ductile iron, effect on microstructure	217, 23
Effect on gas distribution in aluminum bronze cast-	***	in Nickel alloy, effect on weldability	38
ings	552	Coreboxes	
Effect on solidification of aluminum castings	110 545	for Cold box process	57
Chromite sand: steelcasting in, effect of chills	343	Design, venting	51
Chromium in Ductile and malleable irons, effect on nitride		Wear resistance improved by hard nickel coating	41
formation	482	Coreless induction furnaces (see Induction furnaces)	Mode
in Gray iron, phosphide eutectic effect	395	Coremaking	
	20	Cold box process, development in Western Europe,	
Clay and	126	equipment, economics, safe practices for	57
Bentonite activator effect	126 314	Defects (see Defects, Gas defects)	17
Hot sand, effect on strength	496	Design and venting of shell coreboxes	51
Seacoal, substitutes	372	Evaluation of furan nobake catalysts	15
System sand, effectiveness of mulling	3/2	Fluid sand process in Japan	24
Cleaning castings Automation, core removal in salt baths electrolyti-		Improving adhesion of resin binders for	28
cally, scale removal, sand burn-on removal	163	Shell vs cold box	57
Core removal from copper die castings	194	Cores	
Clustering and balling in green sand molding mixtures	49	for Aiuminum, cast iron, copper alloy and steel-	
CO ₂ (see Carbon dioxide)	NA 111	castings	57
		for Die casting (see also, Die casting)	19
Coal	376	Gas defects in, calculation of, prevention, gasi-	100
Use and conservation in foundry industry	496	fied binder effect	17
Bituminous, seacoal substitute in molding sand Coke, reduced consumption in divided blast cupola	202	Removal from cast iron by molten salts	16
Coke, reduced consumption in divided biast cupoia	202	Corrosion	42
Coatings		of Bronzes, Zn-Mn-Ni-Al and manganese bronze	47
of Binders and activators, effect on clay require-		Pitting and crevice type in Bronze	47
ments of system sand	126	in Stainless steel	34
Nickel on graphite, enables alloying with molten	000	Stainless steel, resistance to seawater and chloride	314
zinc	278	environments, effect of annealing, composition,	
Oxides on steel molds to prevent carburization of	603	heat treatment	34
stainless steel	003	Toluenesulfonic acid study (furan nobake catalysts)	50
Effect on structure	260	Costs (see Economics)	
Silicon on cast iron molds	144	Cunola	
Wear-resistant nickel-base for patterns	410	Carbon and heat balances	3
Cold box process	2000	Divided tuyeres, effect on melting	20
Development, in Western Europe, catalysts, core		Emission control system, design, maintenance,	
production machines, corebox design, equipment,		operation	35
gassing process, safety	578	Emission sampling, measurement of gaseous emissions,	Aradin.
Binders for, improving adhesion to sand	280	particulate emissions, stack gas	2
Cold shuts, aluminum castings	38	Emission study, dust composition, dust emission	
Colloidal silica binder for investment casting	249	rates, dust morphology, dust size distribution,	3
Columbium, effect on gray iron graphite morphology, me-		gaseous emission characteristics	35
chanical properties, microstructure	122	Hot blast, emission control systems	33
Combustion		Oxygen enrichment: advantages, bridging and channel-	
in Burners for malleable heat treatment furnaces	366	ing eliminated, cheaper scrap use, coke savings,	
Within sand molds upon casting	208	economics evaluation, ferrosilicon savings, fuel	42
Compactability (see Sand testing)		savings, pig iron savings	43
Composites		Tuyeres divided (see Divided tuyeres)	
Compocasting of semi-solid metals	81		
Zinc-graphite composite, permanent mold casting	278		
Composition		The state of the s	
Aluminum and Cu-base alloys, analysis of	442	D	
Cast iron, effect of divided blast on	202		
Ductile iron, effect on microstructure	180		
Gray and ductile irons, effect on solidification	442		
Gray iron, effect on phosphide eutectic in	395	Data processing (see Computers)	40
Malleable iron, substitution of Te for Bi in	403	Decarburization of stainless steel with sand additives Defects (see also Gas defects, Surface defects)	60
Manganese bronze, effect on formation of hard spots	557	Aluminum bronze, gas porosity, effect on mechanical	
Nickel-30% Cu alloy, effect on weld strength	388		55
Charles and the second	349	properties	23
Stainless steel, effect on corrosion resistance		Hot tearing and solidification behavior	42
Computer applications			
Computer applications			
Computer applications in Foundry of the future	1 137	Inclusions, pressure tightness, cold shuts,	3
Computer applications in Foundry of the future Foundry operations	137		
Computer applications in Foundry of the future	1	Inclusions, pressure tightness, cold shuts, hardness variations, low conductivity Porosity, avoidance by correct feeding	475
Computer applications in Foundry of the future Foundry operations Molding sand, density, heat flux, heat transfer, specific heat, thermal conductivity and dif-	137	Inclusions, pressure tightness, cold shuts, hardness variations, low conductivity	47: 44: 110
Computer applications in Foundry of the future Foundry operations Molding sand, density, heat flux, heat transfer, specific heat, thermal conductivity and dif- fusivity	137 524	Inclusions, pressure tightness, cold shuts, hardness variations, low conductivity Porosity, avoidance by correct feeding Porosity, prevention by automatic pouring	475
Computer applications in Foundry of the future Foundry operations Molding sand, density, heat flux, heat transfer, specific heat, thermal conductivity and dif- fusivity Purchasing raw materials at least cost	137	Inclusions, pressure tight: less, cold shuts, hardness variations, low conductivity Porosity, avoidance by correct feeding Porosity, prevention by automatic pouring Porosity, reduction with chills	47: 44! 110 10
Computer applications in Foundry of the future Foundry operations Molding sand, density, heat flux, heat transfer, specific heat, thermal conductivity and dif- fusivity	137 524	Inclusions, pressure tight:iess, cold shuts, hardness variations, low conductivity Porosity, avoidance by correct feeding Porosity, prevention by automatic pouring Porosity, reduction with chills Shrinkage, ultrasonic detection	47: 44! 110

, 32 ons

Grain refinement, effect on porosity, hot tear-		Hypereutectic	1000
ing, segregation, grain size		Model of eutectoid transformation	238
Hard spots in	557	Nucleation and undercooling, effect of,	462
Ductile iron		Inoculation and inoculant fade	59 105 268
Degenerate graphite structure	180	incommon and movement race	309, 412,
Spiky graphite in heavy sections	180		428, 462
Galling in permanent molded zinc alloy eliminated		Kinetics of eutectoid transformation	
by graphite addition	278	Magnesium and ferrosilicon one step treatment	
Gas from		Magnesium-cerium combinations effect	301
Cores, calculation of		Magnesium treatment alloy with negligible emission.	309
Seacoal substitution in molding sand	496	Magnesium (stream) treatment	105
Gray iron		Mechanical properties when heat treated	115
Inclusions		Microstructure when heat treated	115
Porosity, shrinkage	395	Nickel-base magnesium alloy treatment	
Investment casting	166	Nitride formation, effect of alloying elements	
Hard spots in manganese bronze	557	Nodule count, effect on	428
Magnesium castings, hot tears, inclusions, eutectic		Normalized vs quenched and tempered	115
segregation, shrinkage	379	Pearlite-promoting elements	217
Malleable iron, shrinkage in T-junctions, effect		Phase transformations	
of design	493	Pouring temperature, effect on	
Malleable iron, suppression of mottle in	403	Predicting combined effects of composition, cool-	420
Manganese bronze, hard spots in	557	ing rate, nodule count	238
Molding (see also Sand Testing)		One-step treatment of	428
Burn-on, prevention with seacoal	208	Quenched and tempered vs normalized	
Burn-on, removal in salt baths	163	Solidification	462
Burn-on, resin-bonded sand molds	153		
Elimination with seacoal substitutes	496	Stream treatment (inoculation)	
Hot sand, effects of additives on	314	Thermal analysis	462
Scabbing, mold wall movement, springback,		Ductile iron, heavy section	
water explosion	129	Magnesium, cerium addition effects, cooling curves,	
Steelcasting, shrinkage, surface defects, gas	545	solidification, nucleation, inoculation, rare	
White iron, insuring soundness through correct		earth additions	336
riser design	571	Spiky graphite formation, effect of excess magnes-	100
Degenerate graphite structure in ductile iron	180	ium treatment, microstructure	180
Density		Ductility (see Mechanical Properties)	
Grain-refined bronze	453	Dust (see also Emissions)	
Molding sand, effect on thermal properties	524	Control with moisture in molding sand	566
Deoxidation of steel with calcium	89	from Cupola, control of	356
Degassing practice in aluminum bronze casting	552	Measurement and morphology, from cupola	32
Delta phase in grain-refined sand cast bronze			
Dendrites, effect of agitation on growth in cast iron	39		
Dendrites, effect of agitation on growth in cast iron	59	E	
Design of	39	E	
Design of Castings		E	
Design of Castings Simulated solidification, effect on	517		
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of	517		
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze	517 552	Economics of	578
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings	517 552 571	Economics of Cold box process in Western Europe	
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes	517 552 571 510	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen	437
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings	517 552 571 510 493	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation	437
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium	517 552 571 510 493 89	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries	437 1 376
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand	517 552 571 510 493 89 314	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs	437 1 376 320
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion	517 552 571 510 493 89 314 471	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry	437 1 376 320
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand	517 552 571 510 493 89 314	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy)	437 1 376 320 1
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand	517 552 571 510 493 89 314 471	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties)	437 1 376 320 1
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Dic casting Copper alloys, dies (coatings for, construction of),	517 552 571 510 493 89 314 471	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control	437 1 376 320 1
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Dic casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate	517 552 571 510 493 89 314 471 245	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray	437 1 376 320 1
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating	517 552 571 510 493 89 314 471 245	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing	437 1 376 320 1
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals	517 552 571 510 493 89 314 471 245	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola	437 1 376 320 1
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals	517 552 571 510 493 89 314 471 245	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation	437 1 376 320 1 32 578
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die coatings for	517 552 571 510 493 89 314 471 245	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack	437 1 376 320 1 32 578 356 24
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Dic casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding	517 552 571 510 493 89 314 471 245	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of	437 1 376 320 1 32 578 356 24 32
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies	517 552 571 510 493 89 314 471 245	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture	437 1 376 320 1 32 578 356 24 32 566
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting	517 552 571 510 493 89 314 471 245 194 81 194 260	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of	437 1 376 320 1 32 578 356 24 32 566 24, 32
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding	517 552 571 510 493 89 314 471 245	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst	32 578 356 24 32 566 24, 32 563
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Die casting Die casting Die casting Die casting Dies ca	517 552 571 510 493 89 314 471 245 194 81 194 260	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of	437 1 376 320 1 32 578 356 24 32 566 24, 32
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac-	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of	32 578 356 24 32 566 24, 32 503 24
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac- ing of	517 552 571 510 493 89 314 471 245 194 81 194 260	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process	32 578 356 24 32 566 24, 32 563
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Dic casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac- ing of Double torsion testing for ductility, fatigue, fracture	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treat-	32 578 356 24 32 566 24, 32 566 24, 32 578
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Die casting Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spacing of Double torsion testing for ductility, fatigue, fracture toughness, strength	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treat- ment furnaces	32 578 356 24 32 566 24, 32 566 24, 32 578
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Dieded tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac- ing of Double torsion testing for ductility, fatigue, fracture toughness, strength	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold	32 376 320 1 32 578 356 24 32 566 24, 32 503 24 578 366 105
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac- ing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap	32 376 320 1 32 578 356 24 32 566 24, 32 503 24 578 366 105 210
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Dicacting Silicate, desire for fluid sand Dicacting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac- ing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Carbon effect	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 462	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning	32 578 325 376 320 1 32 578 356 24 32 566 24, 32 566 24, 32 578 366 105 210 163
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spacing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Carbon equivalent effect Chill in	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 462 268	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning Using low-flare inoculant for ductile iron	32 376 320 1 32 578 356 24 32 566 24, 32 503 24 578 366 105 210 163 309
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spacing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Chill in Composition, effect on	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 462 462 268 238, 428	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning Using low-flare inoculant for ductile iron Sulfur dioxide from toluenesulfonic acid catalyst	32 578 325 376 320 1 32 578 356 24 32 566 24, 32 566 24, 32 578 366 105 210 163
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Dies Die costing to the consumption, melting rate, burn-out; optimum spacing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Carbon equivalent effect Chill in Composition, effect on Emission reduction during inoculation	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 462 268	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning Using low-flare inoculant for ductile iron Sulfur dioxide from toluenesulfonic acid catalyst Energy	32 376 320 1 32 578 356 24 32 566 24, 32 503 24 578 366 105 210 163 309
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Dicacting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac- ing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Carbon equivalent effect Chill in Composition, effect on Emission reduction during inoculation Fading of inoculant in (see Inoculation)	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 462 268 238, 428 105, 309	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning Using low-flare inoculant for ductile iron Sulfur dioxide from toluenesulfonic acid catalyst Energy	32 578 325 578 356 24 32 566 24, 32 566 24, 32 578 366 105 210 163 309 503
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spacing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Carbon equivalent effect Chill in Composition, effect on Emission reduction during inoculation Fading of inoculant in (see Inoculation) Factors influencing inoculation and inoculant fade	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 462 462 268 238, 428	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning Using low-flare inoculant for ductile iron Sulfur dioxide from toluenesulfonic acid catalyst Energy Conservation Burner design, effect on	32 376 320 1 32 578 356 24 32 566 24, 32 503 24 578 366 105 210 163 309 503
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac- ing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Carbon effect Chill in Composition, effect on Emission reduction during inoculation Fading of inoculant in (see Inoculation) Factors influencing inoculation and inoculant fade Fe-C-Si diagram (see Fe-C-Si diagram)	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 268 238, 428 105, 309 268	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning Using low-flare inoculant for ductile iron Sulfur dioxide from toluenesulfonic acid catalyst Energy Conservation Burner design, effect on Ceramic fiber refractory furnace linings	437 1 376 320 1 1 32 578 356 24 32 566 24, 32 503 24 578 366 105 210 163 309 503
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Dic casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Dies Die casting Permanent molding Dies Die costing to blast rate, coke consumption, melting rate, burn-out; optimum spacing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Carbon equivalent effect Chill in Composition, effect on Emission reduction during inoculation Fading of inoculant in (see Inoculation) Factors influencing inoculation and inoculant fade Fe-C-Si diagram (see Fe-C-Si diagram) Graphite formation in heavy sections	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 462 462 462 462 268 238, 428 105, 309 268	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Pollution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning Using low-flare inoculant for ductile iron Sulfur dioxide from toluenesulfonic acid catalyst Energy Conservation Burner design, effect on Ceramic fiber refractory furnace linings Electric, in foundries	32 376 320 1 32 578 356 24 32 566 24, 32 503 24 578 366 105 210 163 309 503
Design of Castings Simulated solidification, effect on Thickness, effect on mechanical properties of aluminum bronze Risers for white iron castings Shell coreboxes T-junctions in malleable iron castings Desulfurization of steel with calcium Dextrin, effect on strength of hot sand Dezincification of bronze in seawater corrosion Dicalcium silicate, binder for fluid sand Die casting Copper alloys, dies (coatings for, construction of), fill time, gating, runners, venting, ingate area calculation, heat loss in gating Semi-solid metals Die coatings for Die casting Permanent molding Divided tuyeres, cupola, effect on blast rate, coke consumption, melting rate, burn-out; optimum spac- ing of Double torsion testing for ductility, fatigue, fracture toughness, strength Ductile iron Carbon effect Carbon effect Chill in Composition, effect on Emission reduction during inoculation Fading of inoculant in (see Inoculation) Factors influencing inoculation and inoculant fade Fe-C-Si diagram (see Fe-C-Si diagram)	517 552 571 510 493 89 314 471 245 194 81 194 260 194 144 202 158 462 268 238, 428 105, 309 268	Economics of Cold box process in Western Europe Cupola wind enrichment with oxygen Foundry operation Energy costs and conservation in foundries Poilution control costs Education, foundry Electric power (see Melting, Induction melting, Energy) Flongation (see Mechanical Properties) Emissions and emission control Analysis by X-ray Cold box process, minimizing Cupola Control, maintenance and operation Sampling from stack Study of Dust control in system sand with moisture Gaseous, measurement of Methanol, from toluenesulfonic acid catalyst Particulates, measurement of Reduction of by Corebox design for cold box process Gas-fired radiant tube burners in heat treatment furnaces Inoculation in the mold Preheating scrap Salt bath cleaning Using low-flare inoculant for ductile iron Sulfur dioxide from toluenesulfonic acid catalyst Energy Conservation Burner design, effect on Ceramic fiber refractory furnace linings	437 1 376 320 1 1 32 578 356 24 32 566 24, 32 503 24 578 366 105 210 163 309 503

Reduced coke consumption in divided blast cupola			
	202	Flare Elimination during ductile iron inoculation	105
		Reduction in ductile iron inoculation	309
natural gas, uses	376	Flowability, sand (see also Sand testing)	49, 129
Induction furnaces, power utilization	135	Flue gas temperature and composition, heat treating	
Melting cast iron	108	furnaces	366
for Pollution control, excess consumption of	320	Fluid sand binders: dicalcium silicate, sodium silico-	
nvironmental		fluoride, S.U. process	245
Control (see also Emissions) Cupola emissions	24	Fluidity, Al-Si hypereutectic alloy	359
	566	Foamed plastics, patterns for molding	353
Dust control by moisture in molding sand Noise reduction, problems and solutions	548	Fracture	100
Public reaction to efforts	320	Resistance in cast metals	158 388
Tetraethylamine (TEA), safety standards for use	-	of Welds in Ni-30% Cu alloy	388
in Germany	578	Full mold process, using hollow polyurethane expendable	
Toluenesulfonic acid, toxicity study of	503	patterns	353
tandards		Furan nobake resin binder	
Aftermath evaluation	320	Adhesion of, effect of sand characteristics	280
Effect on foundry management	1	Cold box process in Western Europe	578
quilibrium diagram, Fe-C-Si, effect of Mg and Ce	336	Corrosion and toxicity study of toluenesulfonic acid	
thyl silicate, binder for investment casting	249	catalyst	503
utectic		Sand for stainless steel castings, carburization in	603
Arrest temperature, effect of undercooling in gray	462	Toluenesulfonic acid catalyst evaluation	153
and ductile iron	402	Furnaces (see also Induction furnaces, Cupola, Heat-	
oculants	412	treatment furnaces)	200
Content of aluminum alloys, determination using		Construction and repair	289
ultrasonics	101	Cuponi	
Phosphide in gray iron with Mo and Cr	395	Heat treating	
Segregation in Mg castings, radiographic detection	379	Induction	
Shift in ductile iron with Mg and Ce additions	336		233
Temperature, effect of phosphorus in Al-Si alloy	359		
utectoid			
Transformation in ductile iron			
Kinetics of	217		
Model for in hypereutectic irons		G	
F. In Proceedings			
B 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Gas	
		Defects	
		Calculation of in cores	170
atigue testing (see Mechanical properties)		Porosity in aluminum bronze	552
e ₂ C in gray and ductile irons, thermal analysis	462	from Seacoal substitutes in molding sand	496
e-C-Si phase diagram		in Steelcasting	545
Ductile and white iron, effect of Mg and Ce addi-	-	Evolution from resin-bonded cores	153
tions	336	Gas-fired radiant tube burners for heat treatment fur-	244
Phase transformations, carbide, carbon and graphite		naces	366
eutectics, carbon equivalent, effects of temper-		Gating Aluminum alloy plate castings, system for	474
ature, composition, solidification, Si and Mg	462	Practice for steelcastings in chromite sand	545
on solidification	402	Runners for die casting of copper alloy	194
eeding (see also Risering)		White iron castings for maximum feeding	571
Aluminum alloys Efficiency of	101	Grain refinement	
Plate castings, Al-10% Mg	475	Aluminum alloys, effect on hot tearing	424
Malleable iron T-junctions	493	Bronzes, effect of Zr and B additions on mechanical	
White iron, riser design	571	properties, microstructure, hot tearing, poro-	
errite		sity	453
Appearance in permanent molded gray and malleable		Cast iron, effect of inoculants on	268
iron	260	Grain size	HDIT
in Gray and ductile irons, thermal analysis	462	Cast iron, effects of sulfur and inoculants on	412
Shell around graphite nodules in hypereutectic		Sand	40
ductile iron	238	Effect on balling and clustering	
Formation in ductile iron, effect of alloys on	217	Effect on propertiesGraphite	43
erroalloys	***	Graphite Distribution in cast iron	
Columbium additions to gray iron	115	in Gray and ductile irons, thermal analysis	
Ferrosilicon	200	Inoculant for cast iron	
Additions during pouring of cast irons	268 428	Mechanism of formation in ductile iron	
in Ductile iron, one-step treatment for		Morphology	100, 402
in Geny ison effect of sulfur content	245	Cast iron, effect of columbium additions on	122
in Gray iron, effect of sulfur content	341	Ductile iron, effect of Mg-Ce inoculation on	301
Hardener for silicate sand binder	1100	Permanent molded cast iron, effect on	260
Hardener for silicate sand binder			
Hardener for silicate sand binder	493	Solid cast irons, effect of alloying elements	482
Hardener for silicate sand binder	493 545	Sulfur-bearing cast iron, effect of inoculants	
Hardener for silicate sand binder		Sulfur-bearing cast iron, effect of inoculants	412
Hardener for silicate sand binder	545 38	Sulfur-bearing cast iron, effect of inoculants on	
Hardener for silicate sand binder World supply, producing countries illets, pads assist feeding of T-junctions in malleable iron castings in chromite sand inish on steelcastings in chromite sand inishing, aluminum castings, painting irebrick, comparison with ceramic fiber for refractory furnace linings	545 38 289	Sulfur-bearing cast iron, effect of inoculants on	412 403
Hardener for silicate sand binder	545 38	Sulfur-bearing cast iron, effect of inoculants on	412

Spheroidal, in hypereutectic ductile iron	238, 462	in Molding sand, computation	524
Spiky and spheroidal in heavy section ductile iron		in Shell coreboxes for resin-bonded sand	510
in Zinc alloy, imparts bearing characteristics	278	during Solidification, simulation of	517
Gray iron (see also Cast iron)		Heat treatment	
Alloy additions, columbium effect	122	Aluminum castings	
Carbon equivalent effect		Effect on hardness	38
Cleaning in salt baths		Effect on mechanical properties, Al-Si-Mg alloy.	322
Columbium, effect on properties and structure		Effect on properties, microstructure	185
Fe-C-Si diagram (see Fe-C-Si diagram)		Ductile iron	4
		Effect of quench and temper vs normalize	115
Graphite morphology, columbium effect		Furnaces	
Inoculation and inoculant fade, factors influencing	268		366
Mechanical properties, columbium effect	122	Burners for	
Microstructure, columbium effect	122	Ceramic fiber linings for	289
Permanent molded with good machinability	260	Malleable iron annealing, effect of	
Phase transformations	462	Te and Bi on	403
Phosphide eutectic study, effects of Mo and Cr on	74%	Manganese bronze	559
shrinkage porosity	395	Permanent molds	
Solidification, effect of heat treatment	462	for Gray and malleable iron casting	260
Sulfur in	412	of Siliconized cast iron, effect on hardness	144
Thermal analysis	462	Stainless steel	
Undercooling in, effect on graphite	462	Annealing effect on mechanical properties	349
Green sand (see also Molding sand, Sand)	The state of the s	Carburization effect, sand cast with additives	603
Balls and clusters: additives, bentonite, compact-		High pressure molding with system sand	372
	49	Hollow pattern molding process: applications, design,	214
ability, fineness, mixing time		Honow pattern moiting process. applications, design,	353
Compactability	43	limitations, pattern materials and procedure	333
Compressive strength	43	Hot sand	201
Condensation zone in	328	Cooling in high-speed intensive mixer	296
Deformation testing	43	Properties vs room temperature sand, problems, rem-	
Grain shape and size effect on sand properties	43	edies	314
Heat transfer	328	Hot spots	
Moisture in, effect on mechanical properties	43, 328	in Gray iron, effect on phosphide formation	395
Molding, effect of seacoal substitutes on	496	in Malleable iron, feeding of T-junctions	493
Mulling		Hot tearing of	
Calculation of effectiveness	372	Aluminum, solidification behavior and semi-solidus	
Effect on sand toughness	43	temperature	424
Physical properties and per cent bond	43	Bronze, grain refinement effect on	453
Strength when hot, effect of additives	314		379
Thermal diffusivity, determination using computer	314	Magnesium castings, radiographic detection Semi-solid metals	81
	524	Hypereutectic	411
technique	524	Cast iron, effect of external forces on solidifi-	
Toughness testing	43		59
Vapor, transport, moisture behavior under heat	328	cation	33
Green strength (see sand testing)		Ductile iron, model describing eutectoid transfor-	000
Grinding of castings, reduction of noise	548	mation	238
		Gray and ductile iron, thermal analysis of	462
		Hypoeutectic cast irons	462
H.		The second secon	
A STATE OF THE PARTY OF THE PAR			
Hardness (see also Mechanical Properties)		Impact testing, cast metals	162
Aluminum castings		impact testing, cast metals	153
	10	Inclusions (see also Defects)	20
Effect of heat treatment	38	Aluminum castings	38
Effect in high-strength alloy	185	Gray iron, effect of columbium	122
Effect of modification with Na, P	359	Magnesium castings, radiographic detection	379
Cast iron		Induction furnaces (see also Induction melting)	
Effect of agitation	59	Automatic pouring from	449
Effect of sulfur and inoculants on	412	Charge materials	135
Ductile iron, normalized vs quenched and tempered .	115	Energy factors	135
Manganese bronze, effect of hard spots	557	Lining process	95
Patterns for molding, improvement by hard nickel	163 675	Power demand and utilization	135
coating	410	Production rate factors	135
Permanent molds, improvement by siliconizing	144	Refractory linings	95
Hard spots in manganese bronze	557	Retractory finings	135
Heat (see Energy, Induction melting, Power demand)	331	Thermal efficiency	133
Heat abstraction (see Heat transfer)		Induction melting Automatic pouring for	449
Heat austraction (see Heat transier)			
Heat content		Cast iron, heat content	108
of Cast iron	108	Costs, conservation of energy	449
of Chills in aluminum casting	110	Factors affecting production rate	135
Heat losses from cupola stack	32	for Plutonium casting	233
Heat transfer		Scrap, preheating for	210
in Ceramic fiber linings for heat treatment furnaces	289	Inoculation fade in gray and ductile iron	
of Copper alloys in die casting	194	Influence of graphitic carbon, ferrosilicon, pure	
Effect of bond deactivation and casting surface area	- 47	silicon	268
on, in sand	69	Mg-Ce addition, effect on properties	301
Efficiency in heat treatment furnace, effect on im-	ON THE REAL PROPERTY.	One-step technique, effect on nodule count, mag-	194
proved burner design	366	nesium recovery	428
in Green sand, vapor transport zones (condensation	200	Inoculation of	-20
		Inoculation of	
zone)	328	Aluminum alloy, grain refinement	424

Cast iron		Magnesium treatment of ductile iron	
Austenitic	59	Heavy section	330
Effect of sulfur on graphite morphology	412	Heavy section and spiky graphite	180
Effect of Mo and Cr on phosphide eutectic	395	Improved Mg recovery with low-flare inoculant	309
Factors influencing inoculant fade	268	Effect of Mg-Ce combination	336
for Permanent mold castings	260	on Fe-C-Si diagram	301
Ductile iron	336	One-step treatment with ferroalloys	428
Heavy section		Solidification, effect on, thermal analysis	462
Mg-Ce addition		Stream treatment of	105
Mg-Ce addition, effect on liquidus temperature.	336	Maintenance	
Nodule count, effect of inoculation technique	428	Coreless induction furnace refractory linings	95
Solidification, effect on (thermal analysis)	462	Heat treatment furnace linings, ceramic fiber re-	
Stream treatment	105	fractory	289
Malleable iron, effect of Bi and Te	403	Importance for control of cupola emissions	356
Insulation, ceramic fiber for heat treatment furnaces	289	Noise reduction, effectiveness in foundries Malleable iron	541
Binders and aggregates for	249	Feeding of T-junctions, risering	493
Contamination and surface defects study using wax		Graphitization, effect of Al, B, Ca, Cr, Mg, Ti and	483
patterns and refractory shell molds with alloys	166	Zr on	366
1020 and 4130	137	Heat treatment, furnaces for (burners) Nitride formation, effect of alloying elements on	482
Plant layout	137	Nodularity, effect of Te and Bi on	403
costs	137	Permanent molded with good machinability as cast	260
Iron ore, reserve world supply	341	Riser design and location for	571
Iron oxide		Tellurium substituted for bismuth in	403
Additives to sand to prevent carburization of stain-		PALESTON CONTRACTOR AND AND AND AND AND AND ADDRESS OF THE PARTY.	
less steel	603	Management	1
Contaminant in wax and refractory for investment		Are you ready?	1
casting	166	Foundry operations, cost control	137
Content of hard spots in manganese bronze	557	Manganese, effect on ductile iron microstructure	217, 238
		Manganese bronze	
		Corrosion in seawater compared with Cu-Zn-Mn-Ni-Al	471
J		Hard spots and mechanical properties	557
		Iron precipitation, heat treatment, microstructure	559
		Metallurgy, precipitation morphology	563
I to a share testing (one also found testing)	43, 49	Marketing	
Jolt toughness testing (see also Sand testing)	43, 49	Ferrous materials: ferroalloy supplies and produc-	
		ing countries, iron ore reserves, pelletized ore,	
		pig iron sources and prices, scrap markets in	
		U.S., Japan, Europe, exports and imports, world	1
K a management of the same		survey	341
		Ferrous metals, foreign imports, sales evaluation	1
		Mechanical properties of	
Kinetics		Aluminum alloys Aerospace structure castings	383
Killeties		Al-Si-Mg, re-appraisal	322
Eutectoid transformation in ductile iron	217	Al-10% Mg, effect on feeding on	475
Graphite formation and nitride formation in solid	403	Heat treatment effect on	185
cast irons	482	Phosphorus additions on, strength, fatigue, wear	
		resistance	359
		Bronzes	A 400
L		Aluminum bronze, effect of gas porosity	552
		Sand cast, effect of grain refinement	453
		Cast iron	
Lead, segregation in sand cast bronze, effect of grain		Agitation (oscillation, rotation) effect	59
refinement	453	Sulfur effect	412
Liquidus temperature	100	Cast metals, toughness, fracture resistance, ductil-	100
in Casting semi-solid metals	81	ity, fatigue, impact, torsion	158
of Ductile iron, effect of inoculation	462	Ductile iron Heat treated	
for Graphite and austenite in cast irons	336	Mg-Ce addition, effect on	
Lumps in molding sand, definition	49	Graphitic zinc alloy, bearing characteristics	
		Gray iron	
		Columbium effect	
M		Sulfur and inoculants effect	412
Market and the second s		Manganese bronze	
		Nickel-30% Cu alloy, effect of welding on	388
		Stainless steel, effect of corrosion and heat treat-	dull.
Machinability, gray and malleable iron as cast, perman-	447 24	ment	349
ent molded	260	Mechanization	
Magnesium	224	Automated pouring	449
Addition effects on heavy section ductile iron	336	Automation of shell coremaking operations	137
Castings, radiographic standards, hot tears, inclus-	270	Foundry operations	13/
ions, segregation, shrinkage	379	Technical developments	529
Cerium, combined treatment of cast iron with, effect		V-process, vacuum molding of unbonded sand	367
on fade, ductility, graphite type, nodularity	201	Melting Aluminum bronze, effect of practice on gas porosity.	552
and section size	301 462	Automatic pouring	449
and Fe-C-Si phase diagram, effect on	482	Cast iron, heat content	108
in doing side it only, effect on include formation	402	Can non-	
AFS Transactions			643

8 2 9

Costs		Molding sand (see also Sand, Green sand)	
Energy for	376	Balling and clustering in	49
Optimum	141	Chromite for steelcasting	545
Crucibles for plutonium casting	233	Compactability, compressive strength	43
Cupola		Computer applications to (see Computer)	162
Divided blast	202	Condensation zone in	328
Oxygen enrichment		Control	Children .
Degassing practice for aluminum bronze	552	Day-to-day basis	433
Furnaces (see Cupola, Induction, Furnaces)			372
		System sands for high pressure molding	43
Manganese bronze, effect of practice on hard spot	667	Deformation testing	
formation	557	Density, effect on thermal properties	524
Production rate in coreless induction furnace	135	Dust control with moisture in sand	566
Scrap preheating for induction	210	Expansion defects, effect of seacoal substitutes	496
Steel, deoxidation and desulfurization	89	Fluid, binders for	245
Zinc, technique for graphite additions to	278	Grain shape and size, effect of properties	43
Melting point, ferrous alloys, effect of Mg and Ce	336	Heat transfer in	328
Metallized ore, world supply	341	Hot, properties, problems and remedies	314
Methanol, emissions from toluenesulfonic acid catalyst	503	Moisture	
Metallurgy of			328
Aluminum alloys	322, 359,	Behavior under heat in green molds	
	424, 475	Dust control with	566
Bronzes, effect of grain refiners	453	Effect on properties	43, 49,
	433		328
	403	Effect on strength of resin bond	153
Effect of alloying elements	482	Mulling	
Effect of sulfur on properties, microstructure	412	Effect on sand toughness	43
Effect on mechanical properties, tramp elements	301	Effectiveness of, test for	372
External forces, effect on rotation	59	Properties, control of	433
Thermal analysis relationships in gray and		Resin-bonded, furan nobake, catalysts for	153, 503
ductile irons	462	Seacoal in	208
Charge materials for optimizing melting	141	Seacoal substitutes in	496
Ductile iron			314
Effect of Cb additions on	122	Temperature, effect on strength	314
Effect of composition, As, Cu, Mn, Sn	217, 238	Thermal properties, determination using computer	
Effect of Mg and Ce additions on solidification .	301, 336	techniques	524
	217	Thermal transpiration in	208
Effect of pearlite-promoting elements		Toughness testing	43
Heavy section, spiky graphite formation	180	Vapor transport zones in	328
Normalized vs quenched and tempered	115	for V-process, vacuum molding	529
Permanent molded	260	Zircon, for steelcasting	545
Thermal analysis of	462	The state of the s	
Gray iron		Molds	
Effect of inoculants	268	Hollow pattern process	353
Effect of sulfur	412	Investment casting, contaminants and defects	166
Permanent molded	260	Permanent (see permanent molds)	
Thermal analysis of	462	Variables in and solidification, heat abstraction,	
Manganese bronze	563	diffusivity, external chills	69
Microstructure	303	Molten salts, cleaning castings in	163
Aluminum alloy		Molybdenum in gray iron, phosphide eutectic effect	395
	260		373
Al-Si hypereutectic, effect of modification	359	Mottle (see Chill)	
Alloy 201 (KO-1 and X202), effect of heat treat-	100	Mullerless counter-current mixer	204
ment	185	Design, capacity, energy requirements, operation	296
Bronzes, sand cast, effect of grain refinement	453	Mulling	
Carbon powder inoculant, scanning electro micro-		Bentonite activator effect during	126
graph	268	Clay coating inhomogeneity	126
Cast iron		Effect on balling and clustering in sand mix	49
External forces, effect	59	Effect on sand toughness	43
Gray and malleable, permanent molded	260	Effectiveness, calculation of	372
with Nitrogen, effect on	482		
with Sulfur, inoculants, effect on	412		
Ductile iron	712		
	400		
Graphitization, effect of nitrogen and alloys	482	N	
Heat treated	115	and the property of the same o	
Heavy section with spiky graphite	180		
Inoculated with Mg-Ce	301	Nickel	
Inoculated with Ni-base low-flare inoculant	309	Alloys, weldability of Ni-30% Cu castings	388
with Trace elements	217	Coatings	
Gray iron	1 101	on Graphite, enables addition to Zn melt	278
Columbium effect	122	Wear-resistant, on patterns	410
Mo and Cr effect on phosphide eutectic	395		471
	412	in Copper alloy with Zn, Mn, Al	144
Sulfur and inoculants effect	482	Nickel-aluminide coatings for permanent molds	144
Malleable iron, effect of nitrogen		Nickel-base Mg alloy treatments for ductile iron	
Manganese bronze, hard spot formation in	559	Ease of treatment, flare elimination, Mg recovery,	200
Model describing eutectoid formation in hyper-	000	microstructure, smoke reduction	309
eutectic ductile iron	238	Mg-Ce inoculation, effect on properties	301
Semi-solid metals	81	Stream treatment with 15% Mg alloy	105
Tin bronze, sand cast, delta phase, effect of grain		Nichium (see Columbium)	
refining	453	Nishayama process, binder system	245
finicost, optimizing of foundry purchases	141.	Nitride formation, free energy of	482
dixing		Nitrogen	
of Metal (see Agitation)		in Aluminum bronze, effect of purging on gas con-	
Or meetin (see . Summen)			552
of Sand (see Mulling) Model, technique for experimental stress analysis	229	tent	482
roder, reconsique for experimental stress analysis	247	in Cast irons with Al, B, Ca, Cr, Mg, Ti	402

Nobake		Zinc alloy with graphite to improve bearing prop-	
Binders (see also Furan nobake) Adhesion, effect of sand surface character-		erties	27
istics	280	Permeability (see Sand testing)	
Toluenesulfonic acid, corrosiveness, pollution,	FINE TE	Personnel: communication, management, motivation, pro- ductivity, responsibility, safety, training	
toxicity		Petroleum derivative seacoal substitute	496, 57
Toluenesulfonic acid vs phosphoric acid cata- lysts	153	Phase diagram, Fe-C-Si	
Cold box process, development in Western Europe		Mg and Ce additions, effect on	33 46
Sands		Undercooling and Mg inoculation, effect on Phase transformations in ductile iron	217, 46
Sodium silicate binder processes	245	Phosphide eutectic study in gray cast iron, composi-	
Stainless steel casting in, surface carburiza-	603	tion, defects, gating, metallurgy, effect of P, Mo,	
Nodular iron (see Ductile iron, Malleable iron)		CrPhosphoric acid	39
Nodularity (see Graphite)		Catalyst for cold box process	57
Noise, problems and solutions	548	Comparison with toluenesulfonic acid for furan no-	
Nondestructive testing Experimental stress analysis	229	bake molds	153, 50
Radiographic, Mg alloy castings	379	Phosphorus Additive to Al-Si hypereutectic alloy	35
Ultrasonic, for aluminum casting soundness	101	in Gray iron with Mo and Cr	39:
Nonferrous (see Aluminum, Bronze, Magnesium, Tin, Zinc, etc.)		in Nickel-base hard coating for patterns	410
Normalizing (see also Heat treatment)		Pig iron, sources, prices	34
Ductile iron, comparison with quench and temper		nese bronze in seawater	47
Nucleation of Cast iron		Plant layout, investment casting	13
Agitation, effect of rotation and oscillation	59	Plastics	624
Effect of sulfur	412	Molding materials in V-process Pattern materials	529 35.
Thermal analysis, gray and ductile irons	462	Plate castings, feeding studies, pattern equipment,	33
Ductile iron Effect of alloys on spheroid formation	217 238	solidification, thermal analysis	47:
Effect on graphite morphology		Plutonium casting, arc, induction, vacuum melting Pollution control (see also Emissions)	23:
Mg-Ce inoculant, effect of cooling rate on		Chemical cleaning of castings	16:
Fe-C-Si diagram	336 301	Costs of	32
Mg-Ce inoculant, effect on properties Thermal analysis, effect on		Polystyrene, polyurethane foam patterns for molding	353
The limit analysis, cites on	102	Porosity in Al-10% Mg alloys, effect of good risering practice	475
		Aluminum bronze, gas effect on mechanical prop-	4/.
0		erties	55
Oil		Bronzes, sand cast, effect of grain refinement	453
Bonded sands for stainless steelcasting, carburi-	603	Gray iron, related to phosphide eutectic	395 375
zation effect	496	Pouring	-
Optimizing melt costs, computer application, raw ma-		Automated, metal	44
terial purchasing	141	Inoculation during	26 105
Oscillation during solidification, effect on cast iron	59	Temperature	10.
Overheating, effect on aluminum alloy structure	185	Effect on inoculation effectiveness in ductile	
Oxidation		iron	421
Permanent molds, improved resistance by siliconiz-	144	Effect on vapor transport zone in green sand molds	32
Prevention in sand casting iron with seacoal	208	Power demand for induction melting	135
Oxides, sand additives to prevent carburization of sand		Precision casting (see Investment casting)	
cast stainless steel	608	Prediction methods Shakeout times for steel and bronze	69
Oxygen	437	Solidification rates	65
Enrichment of cupola wind		Preheating	- /4.50
		Charge materials for coreless induction melting	135
		Combustion air for heat treatment burners Improves energy utilization in foundry	366
P		Scrap for induction melting	210
		Pressure tightness, effect of grain refinement in sand	
Patternmaking Core boxes for cold box process	578	Cast bronze Pressure pouring, automatic	453
Design and venting of shell coreboxes	510	Product reliability, stress analysis	229
Hollow pattern molding process, polyurethane	353	Production	
Patterns	410	Castings tonnage, shipments	341
Aluminum and cast iron, hard nickel coatings for for Investment castings, surface defects	410 166	Control in foundry operations Improvement in coreless induction melting	137
for Plate castings	475	Improvement through salt bath cleaning	163
for Sand molding with V-process (vacuum unbonded)	529	Increases through oxygen enrichment of cupola wind	437
Pearlite Formation in ductile iron, effect of alloys on	217, 238	Purchasing raw materials at least cost, computer	1.01
Formation in permanent molding of gray and malle-	417, 430	assisted	141
able irons	260		
Pelletized (pre-reduced) iron ore, world supply	341	0	
Permanent molding of Aluminum alloy, mechanical properties	322	A STATE OF THE PARTY OF THE PAR	
Cast iron in a siliconized cast iron mold	144	Quality control of system sand	
Gray and malleable irons as cast with good machin-	A VIET	Basic procedure	372 433
ability	260	Day-to-day testing	433
AFS Transactions			644

Quartz, aggregate for investment casting	249	Clay in hot sand, problems with	
Quenching (see also Heat treatment)		Effect on sand properties	
Aluminum alloy, effect on microstructure	185	Fluid sand process	
Plus tempering vs normalizing of ductile iron	115	Furan nobake resins	
		Inhomogeneity of binder coatings, effect on clay	
R		requirements	
		Resinous, improved adhesion to sand	
		Silicate/ferrosilicon, used in Japanese foundries	245
Radiant tube burners for furnaces	366	Sodium silicofluoride for fluid sand process	245
Radiography	-	Sand binder systems	24
Bronze, sand cast, porosity after grain refinement	453	Ceramic binders and aggregates	249
Inoculation during	268	Fluid sand: dicalcium silicate, S.U. process (Silicofluoride	
Magnesium alloy castings, standards for	379	Nishiyama process	
Ramming		Sand bonding and bentonite activator effect	126
Compactability		Sand control	
Effect on balls and clusters in sand	49 95	Testing procedures for compactability, green com-	Book F
Rare earth additions	93	pression, moisture, muller effectiveness cal-	
in Ductile iron		culations, relating sand tests to clay values,	
Effect on mechanical properties and tramp ele-		use of bond charts	
ments	301	Sand molding (see also Molding sand	
Fade effect	268	Vapor transport zone study	
Heavy section	336	V-Process, unbonded sand, vacuum molded	529
in Permanent molded gray and malleable irons	260	Sand mixing, countercurrent, high speed, mullerless	
Effect on Fe-Si-C diagram	336	Sand mulling (see Mulling)	
Raw materials (see Marketing) Refining semi-solid metal	81	Sand preparation and control (see also Sand control)	
Refractories	01	Acid treatment to improve resin binder adhesion	280
Ceramic fiber linings for heat treat furnaces	289	Balling and clustering in	
Cupola linings, effect of divided blast on	202	Effectiveness of mixing	
Induction furnace linings	95	Remedies for hot sand	
Refractory		Treatment in countercurrent intensive mixer	296
Aggregates for investment castings	249	Sand properties Bentonite activator, effect of inhomogeneity on	126
Binders and ramming mixes for induction furnace	- 114	Effect of sand temperature on	
linings	95	Effect of seacoal substitutes on peel	3.5.3
Binders for investment casting	249 289	High speed intensive mixing, effect on	
Mold materials and surface defects, investment	269	Sand systems	
casting	166	Basic control procedure for	372
Research and		Bentonite activator, effect of inhomogeneity	126
Copper alloys	194	Management of	126
High speed photography and ductile iron inocula-		Sand testing	126
tion	105	Bentonite activator effect, methylene blue test Clay balls and clusters	126 49
Technical developments	1	Clay content	372
Resin-bonded sand (see type: Cold box, Furan nobake,		Coefficient of friction	433
Shell, etc) Residual stress, detection by stress analysis	229	Compactability measurement	
Resources, effective utilization in foundry	320		566
Rheocasting and rheorefining semi-solid metals	81	Day-to-day control	433
Risering (see also Feeding)		Deactivation of bond measurement	69
of Al-10% Mg alloy plates, mechanical properties,		Deformation (green, hot)	43
shrinkage porosity	475	Dry strength, hot sand	314
Effect of metal head on core gas evolution	110	Effective clay	433
Malleable iron castings, feeding of T-junctions	493	Effect on balls and clusters	129
White iron feeding behavior	571	Expansion defects, effect of seacoal substitutes	496
Rotation during solidification, effect on cast struc-	50	Flowability	49, 129
ture	59	Green compressive strength	43, 433,
manual and an area of the area of the mental of			372
		Green tensile strength	
S			433, 496
		Hot sand, effect on properties	314
Safety	400	Hot strength, resin bonded	
Cold box process procedures in Western Europe	578	Machines	43
Plutonium foundry practice	233 578	Moisture Behavior under heat	372
Triethylamine diamine use	163	Effect on dust control in molding sand	
Sand	103	Mold hardness	
Hot sand vs room temperature sand (see Hot sand vs		Mold wall stability	
room temperature sand)		Peel, effect of seacoal substitutes on	
Sand additives		Permeability	
Petroleum derivative substituted for seacoal	576	Properties after mixing in high-speed intensive	
Seacoal substitutes (see Seacoal substitutes)		mixer	296
Sand adhesion to resinous binders: effect of acid treat-		Scabbing test	126
ment, acid concentration temperature, contact time	200	Setup time, furan nobake	153
and sand surface on silane adhesion promoters	280	Shear strength effect of seacoal substitutes	496 129
Sand binders (see also particular type) Balling and clustering, effect on	49	Springback	
Clay content, effect on vapor transport zone	328	Toughness (jolt testing)	
Clay content, measurement of, effect on strength	372	Water explosion	129

Scabbing (see Defects, Sand testing)		Castings, numerical simulation, computer assisted	51
Scale removal from castings in salt baths	163	Cast iron and bond deactivation effect	69
Scheduling foundry operations	137	Cast iron and sulfur effect	413
Scrap	341	Cast iron, effect of external forces, rotation	
Exports and imports handling pollution	341	and oscillation	69
Induction melting, charging, handling, pollution, storage, preheating	210	Copper alloys, effect of bond deactivation on Copper alloys in die casting	19
Market in U.S., Europe, Japan	341	Copper alloys (see also Bronzes)	13
Rusty, dirty, effect on cupola emissions	24, 32	Ductile iron, effect of alloys on kinetics of	217
Seacoal		Ductile iron, effect of inoculation and under-	
in Clay bonded system sand	372	cooling on phase transformations	46
Substitutes		Ductile iron, effect of Mg and Ce additions on	1500
for Green sand molding, elimination of defects,		eutectic	33
effect of moisture, effect on sand expan-		Gray iron, effect of gating and risering, Mo and	
sion, surface finish, properties, toxicity	496	Cr on phosphide eutectic	39
Petroleum derivatives	576	Malleable iron T-junctions, feeding of	49.
Thermal transpiration, burn-on prevention, re-		Plate castings, malleable iron, feeding	
action with air	208	T-junctions	49
Seawater corrosion testing	-	Plate castings, Al-10% alloy, effect of riser de-	
of Bronze (Zn-Mn-Ni-Al alloy)	471	sign on porosity	47
of Stainless steel castings	349	Semi-solid metals	8
Segregation in	238	Sound measurement for noise reduction in foundries	541
Ductile iron, effect of tramp elements	395	Specific gravity of silicon bronze, effect of grain	45
Gray iron, phosphide eutectic	379	refinement	51
Tin bronze, effect of grain refinement on	453	Specific heat, solidification effect	31
Semi-solid metal casting: Compocasting, Hot tearing,	455	Aluminum alloys	44
Microstructure, Rheocasting, Solidification, Thixo-		Copper alloys	44
casting and Viscosity	81	Malieable iron	40
Semi-Solidus temperature and Aluminum solidification,		Spiky graphite formation in heavy section ductile	-
Grain refinement effect, Hot tearing	424	iron	18
Shakeout, predicting time for	69	Spring back (see Sand testing)	
Shell			
vs Cold box process for coremaking	578	Stainless steel castings	
Coreboxes, design and venting	510	Carburization, surface effect of additives to	
Cores, gas defects caused by	170	molding sand	603
Shrinkage (see also Defects)		Corrosion testing	
in Aluminum alloys, detection by ultrasonics	101	Effect of annealing, composition, seawater,	
in Aluminum bronze, comparison with gas porosity.	552	chloride environment	349
in Gray iron, related to phosphide eutectic	395	Resistance of toluenesulfonic acid and phos-	
in Magnesium alloys, detection by radiography	379	phoric acid catalysts	503
Prevention in Al-10% Mg alloys by correct feeding	475	Mechanical properties	100
in Steelcasting, defect	545	Effect of heat treatment	349
Silica, colloidal and fused for investment casting	249	Steelcasting (see also Stainless steel)	
Silicate	245	Alloys 1020 and 4340, surface defects in invest-	
Binders for fluid sand, Nishayama process	249	ment casting	166 545
Binders for investment casting	194	Casting in chromite sand, zircon sand	545
Silicomanganese, deoxidant for molten steel	89	Cold box cores for	578
Silicon		Deoxidation and desulfurization with Ca in chrom-	310
in Aluminum alloy as nucleant	359	ite sand, effect of chills	89
Brass, solidification simulation, computer-		Effect of bond deactivation on	69
assisted	517	Production, consumption, worldwide	341
Bronze, grain refinement, mechanical properties,	21,	Scrap	1/2
microstructure	453	Induction melting, preheating of	210
in Fe-C alloy, effect on liquidus temperature		World supply	341
in Gray and ductile irons, effect on solidification	462	Surface defects	545
in Nickel 30% Cu alloy, effect on weldability	388	Stream treatment of ductile iron	105
Treatment of cast iron permanent molds	144	Stress analysis and product reliability	229
Simulation		Stripping (see Sand testing)	
Cooling curves, heat transfer, latent heat,		Strontium, inoculant component for gray and ductile	
specific heat, solidification	517	iron	268
of Dust conditions in foundry	566	Structure of gray iron	
Sodium modification of aluminum alloys	322, 359	Columbium effect	122
Smoke (see Emissions)		Sulfur effect	412
Slagging molten steel, after deoxidation	89	Sulfur in	
Solidification		Bronze, measurement of in melt	89
Effect on graphite formation, ductile iron		Cast iron	
External chill effects	69	Effect on graphite morphology and mechanical	
Molding media and additives effect	69	properties	412
Prediction methods	69, 517	Effect on inoculating efficiency of carbon	268
Solidification of		Steel, measurement of in melt	89
Al-10% Mg alloy, effect of riser design on	475	Sulfur dioxide and H ₂ S emissions from toluenesulfonic	503
porosity	475	acid catalyst	303
Aluminum alloys, effect of end chills on sound-	110	Effect on shakeout time	69
Aluminum alloys, effect on hot tearing, semi-	110	Surface defects and	09
solidus temperature	424	Aluminum castings	38
Aluminum and bond deactivation effect	69	Chromite sand steel casting	545
Bronze, segregation and porosity, effects of	03	Investment casting pattern contaminants	166
grain refinement	453	Removal of casting skin in salt baths	163

Seacoal		U	
Prevention of burn-on	208		
Substitutes in molding sand, effect on peel	496		
Stainless steel castings, effect of additions	603		
Steel castings in chromite sand	545	Ultrasonic studies on aluminum casting soundness	10
Surface finish on steel castings in chromite sand	545	Undercooling gray and ductile irons, thermal analysis	462
System sand		Undercooning gray and ductile noise, the time and year	
Basic control procedure	372		
Dust control, effect of moisture content	566		
Systems analysis and computer control, cost control,			
foundry operations, production engineering and		v	
scheduling	137		
		Vacuum	
		Casting of plutonium alloys	23.
		Molding of unbonded sand, V-process	529
		Vapor transport zone, effect of clay content, pouring	
T		temperature	32
		Venting	
Technical developments		Die casting cores	19
Automation, equipment, machining, material handl-		Sand cores, effect on gas evolution	170
ing, molds and cores	1	Shell coreboxes	51
Cold box process, state of art in Western Europe	578	Viscosity of semi-solid metals	8
Tellurium in malleable iron, substitute for bismuth	403	Volatilization study of seacoal substitutes	49
Temperature	202	Volume-to-surface area ratio, related to bond deactiva-	
Cupola, effect of tuyere spacing on	202	tion, freezing and cooling times, solidification of	
Effect on inoculation efficiency in ductile iron	428	steel, bronze, aluminum	6
Gradients, effect on solidification of aluminum	110	V-process: molding unbonded sand with vacuum, auto-	
alloys	524	mation, coremaking, patterns for process, plastic	63
Measurement in molding sand	324	film employed	52
Melt rate in coreless induction furnace, effect	135		
Oxygen enrichment effect on melting	437		
Pouring, effect on vapor transport zone in green	437	W	
sand molds	328		
of Sand, effect on cure time of resin bond	153	Washes on sand molds prevent carburization of steel-	
Semi solidus in Al-Cu and Al-Si-Mg alloys	412	castings	603
Tempering (see Heat Treatment)	412	Water, relative purity of effluent	320
Tensile strength (see Mechanical properties)		Wax for investment casting patterns, contaminants	160
Testing (see also Sand testing)		Wear	
Corrosion resistance		Resistance of pattern materials, hard coating	410
Bronzes and manganese bronze in seawater	471	Testing of graphite-zinc alloy	278
Stainless steel	349	Welding Ni-30% Cu alloy, effect of composition on	
Double torsion testing	158	strength	388
Stack gas emissions from cupola	24	White iron	
Toughness, fracture resistance, impact resistance,		Effect of Mg and Ce additions on Fe-C-Si diagram	366
cast metal	158	Feeding behavior, riser design and location	571
Ultrasonic soundness of aluminum alloys	101	Undercooling, effect on eutectic arrest temper-	-
Thermal		ature	462
Analysis			
Al-Si hypereutectic alloy	359		
Gray and ductile irons	462		
Plate castings, Al-10% Mg	475	X	
Conductivity			
Dry molding sand, simulation of solidification	517	X-ray	20
Refractory fiber furnace lining	289	Diffraction analysis, cupola dust emissions	- 32
Diffusivity of molding sand	524	Fluorescence spectrometry	443
Efficiency in coreless induction melting	135	Aluminum alloys	20
Properties of molding materials using computer	501	Cupola dust emissions	482
techniques	524	Radiography	404
Shock, improved resistance of permanent molds	144	Defects in sand cast bronze	453
Transpiration, seacoal	208	Standards for magnesium alloy castings	379
Thixocasting semi-solid metals	81	Standards for magnesium andy casungs	312
Effect on ductile iron microstructure	217		
with Lead, casting alloy in semi-solid state	81 453	Y	
in Sand cast bronze, grain refinement effect Titanium, effect on nitride formation and graphiti-	433		
zation in solid cast irons	482	Yield strength (see Mechanical Properties)	
T-junction, feeding malleable iron castings	493		
Toluenesulfonic acid, toxicity study	503		
Toluenesulfonic acid vs phosphoric acid as furan no-	503	Z	
bake catalyst and coremaking, curing, gas evolution,			
sand strength	153	Zinc	
Tonnage, casting shipments	341	Alloy with graphite, permanent molded, bearing	
Toughness, fracture resistance	158	properties	278
Toxicity studies of	E 188 1	in Bronze, effect of seawater corrosion	471
Toluenesulfonic acid	503	Zircon	
Seacoal substitutes in molding sand	496	Aggregate for investment casting	249
Triethylamine handling in cold box process	578	Sand for steelcasting (with chromite sand)	545
Tramp elements, neutralization in Ductile iron with	113-11-15	Zirconium	
Mg-Ce inoculant	301	Master alloy for grain refining bronze	453
Transformation zone in green sand molds	328	in Solid cast irons, effect on nitride formation	482

ansactions